


Bliss Vape

Sample ID: 1807CSALA0328.1242
Strain: Bliss Vape
Matrix: Concentrates & Extracts
Type: Hash - Oil
Sample Size: 3 units; Batch Size:

Produced: N/A
Collected: 07/09/2018
Received: 07/09/2018
Completed: 07/18/2018
Batch#: KPLB001

Client
Passion Care, LLC
Lic. #
16225 Beaver Road
Adelanto, CA, CA 92301

Producer
Passion Care, LLC
16225 Beaver Road Adelanto, CA 92301



Summary	
Batch	Pass
Cannabinoids	Complete
Moisture (SOP-103)	NT - Not Tested
Water Activity (SOP-102)	NT - Not Tested
Terpenes	Not Tested
Residual Solvents	Pass
Microbials	Pass
Pesticides	Pass
Heavy Metals	Not Tested
Foreign Matter (SOP-001)	Pass

Cannabinoids

Complete

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Mass	Mass
	%	%	%	mg/g
THCa	0.0000	0.0001	ND	ND
Δ9-THC	0.0000	0.0001	79.6920	796.920
Δ8-THC	0.0001	0.0002	ND	ND
THCV	0.0001	0.0002	ND	ND
CBDa	0.0000	0.0001	ND	ND
CBD	0.0000	0.0001	ND	ND
CBDV	0.0001	0.0002	ND	ND
CBN	0.0000	0.0001	0.4680	4.680
CBGa	0.0001	0.0002	ND	ND
CBG	0.0001	0.0002	2.2920	22.920
CBC	0.0000	0.0001	1.4080	14.080
Total			83.8600	838.600

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Terpenes

Not Tested

Testing method: HSGCMS-SOP 201

Analyte	LOD	LOQ	Mass	Mass
---------	-----	-----	------	------



ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653

Iniobong Afia
Executive Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Bliss Vape

Sample ID: 1807CSALA0328.1242
 Strain: Bliss Vape
 Matrix: Concentrates & Extracts
 Type: Hash - Oil
 Sample Size: 3 units; Batch Size:

Produced: N/A
 Collected: 07/09/2018
 Received: 07/09/2018
 Completed: 07/18/2018
 Batch#: KPLB001

Client
Passion Care, LLC
 Lic. #
 16225 Beaver Road
 Adelanto, CA, CA 92301

Producer
Passion Care, LLC
 16225 Beaver Road Adelanto, CA 92301

Pesticides

Test Method: LCMS & GCMS-SOP 301

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin		0.100	0.100	ND	Pass	Fipronil	0.100	0.100	0.100	ND	Pass
Acephate	0.000	0.100	0.100	ND	Pass	Fonicamid	0.001	0.100	0.100	ND	Pass
Acequinocyl	0.000	0.100	0.100	ND	Pass	Fludioxonil	0.001	0.100	0.100	ND	Pass
Acetamiprid	0.000	0.100	0.100	ND	Pass	Hexythiazox	0.000	0.100	0.100	ND	Pass
Aldicarb	0.100	0.100	0.100	ND	Pass	Imazalil	0.100	0.100	0.100	ND	Pass
Avermectin-B1a		0.100		ND	Tested	Imidacloprid	0.001	0.100	5.000	ND	Pass
Avermectin-B1b		0.100		ND	Tested	Malathion	0.001	0.100	0.500	ND	Pass
Azoxystrobin	0.000	0.100	0.100	ND	Pass	Metalaxyl	0.001	0.100	2.000	ND	Pass
Bifenazate	0.000	0.100	0.100	ND	Pass	Methiocarb	0.100	0.100	0.100	ND	Pass
Bifenthrin	0.000	0.100	3.000	ND	Pass	Methomyl	0.001	0.100	1.000	ND	Pass
Boscalid	0.001	0.100	0.100	ND	Pass	Mevinphos	0.100	0.100	0.100	ND	Pass
Captan	0.001	0.100	0.700	ND	Pass	Myclobutanil	0.004	0.100	0.100	ND	Pass
Carbaryl	0.001	0.100	0.500	<LOQ	Pass	Naled	0.004	0.100	0.100	ND	Pass
Carbofuran	0.100	0.100	0.100	ND	Pass	Oxamyl	0.000	0.100	0.500	ND	Pass
Chlorantraniliprole	0.001	0.100	10.000	ND	Pass	Pacllobutrazol	0.100	0.100	0.100	ND	Pass
Chlordane	0.100	0.100	0.100	ND	Pass	Pentachloronitrobenzene	0.000	0.100	0.100	ND	Pass
Chlorfenapyr	0.100	0.100	0.100	ND	Pass	Permethrin	0.001	0.100	0.500	ND	Pass
Chlorpyrifos	0.100	0.100	0.100	ND	Pass	Phosmet	0.000	0.100	0.100	ND	Pass
Clofentezine	0.001	0.100	0.100	ND	Pass	Piperonyl Butoxide	0.001	0.100	3.000	<LOQ	Pass
Coumaphos	0.100	0.100	0.100	ND	Pass	Prallethrin	0.000	0.100	0.100	ND	Pass
Cyfluthrin	0.001	0.100	2.000	ND	Pass	Propiconazole	0.000	0.100	0.100	ND	Pass
Cypermethrin	0.000	0.100	1.000	ND	Pass	Propoxur	0.100	0.100	0.100	ND	Pass
Daminozide	0.100	0.100	0.100	ND	Pass	Pyrethrins	0.000	0.100	0.500	ND	Pass
DDVP	0.100	0.100	0.100	ND	Pass	Pyridaben	0.001	0.100	0.100	ND	Pass
Diazinon	0.001	0.100	0.100	ND	Pass	Spinetoram	0.001	0.100	0.100	ND	Pass
Dimethoate	0.100	0.100	0.100	ND	Pass	Spinosad	0.000	0.100	0.100	ND	Pass
Dimethomorph	0.001	0.100	2.000	ND	Pass	Spiromesifen	0.001	0.100	0.100	ND	Pass
Ethoprophos	0.100	0.100	0.100	ND	Pass	Spirotetramat	0.000	0.100	0.100	ND	Pass
Etofenprox	0.100	0.100	0.100	ND	Pass	Spiroxamine	0.100	0.100	0.100	ND	Pass
Etoxazole	0.010	0.100	0.100	ND	Pass	Tebuconazole	0.002	0.100	0.100	ND	Pass
Fenhexamid	0.001	0.100	0.100	ND	Pass	Thiacloprid	0.100	0.100	0.100	ND	Pass
Fenoxycarb	0.100	0.100	0.100	ND	Pass	Thiamethoxam	0.000	0.100	5.000	ND	Pass
Fenpyroximate	0.001	0.100	0.100	ND	Pass	Trifloxystrobin	0.001	0.100	0.100	ND	Pass

Date Tested: 07/10/2018

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653



Iniobong Afia
 Executive Lab Director

Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com



Bliss Vape

Sample ID: 1807CSALA0328.1242	Produced: N/A	Client	Producer
Strain: Bliss Vape	Collected: 07/09/2018	Passion Care, LLC	Passion Care, LLC
Matrix: Concentrates & Extracts	Received: 07/09/2018	Lic. #	
Type: Hash - Oil	Completed: 07/18/2018	16225 Beaver Road	16225 Beaver Road Adelanto, CA 92301
Sample Size: 3 units; Batch Size:	Batch#: KPLB001	Adelanto, CA, CA 92301	

Microbials

	Analyte	Presence	Status
Pass	Aspergillus (flavus, fumigatus, niger, terreus)	Not Detected	Pass
Test Method: PCR-SOP 401	Shiga toxin-producing E. Coli	Not Detected	Pass
	Salmonella	Not Detected	Pass

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Solvents

	Analyte	LOD	LOQ	Limit	Units	Status
Pass		PPM	PPM	PPM	PPM	
Test Method: HSGCMS-SOP 202	1,2-Dichloro-Ethane	0.100	30.000	0.001	ND	Pass
	Acetone	3.800	250.000	3100.000	ND	Pass
	Acetonitrile	0.500	1.000	6.000	ND	Pass
	Benzene	0.000	12.000	0.001	ND	Pass
	Butane	0.800	2500.000	5000.000	ND	Pass
	Chloroform	0.100	360.000	0.001	ND	Pass
	Ethanol	3.800	2500.000	5000.000	ND	Pass
	Ethyl-Acetate	3.800	2500.000	5000.000	ND	Pass
	Ethyl-Ether	3.400	2500.000	5000.000	ND	Pass
	Ethylene Oxide	0.200	300.000	0.001	ND	Pass
	Heptane	4.500	2500.000	5000.000	ND	Pass
	Isopropanol	4.600	100.000	320.000	<LOQ	Pass
	Methanol	5.300	200.000	400.000	ND	Pass
	Methylene-Chloride	0.900	2500.000	0.001	ND	Pass
	n-Hexane	0.400	70.000	290.000	ND	Pass
	Pentane	3.900	2500.000	5000.000	ND	Pass
	Propane	0.300	2500.000	5000.000	ND	Pass
	Toluene	1.700	30.000	30.000	ND	Pass
	Trichloroethene	0.100	480.000	0.001	ND	Pass
	Xylenes	2.400	10.000	10.000	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653



Iniobong Afia
 Executive Lab Director

Confident Cannabis
 All Rights Reserved
support@confidentcannabis.com
 (866) 506-5866
www.confidentcannabis.com



LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The values reported pertain only to the product tested. R&D sample only. Tested as-is/received from client. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Sample tested per CALIFORNIA CODE OF REGULATIONS, TITLE 16, DIVISION 42. BUREAU OF CANNABIS CONTROL.